



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
US - OSHA Hazard Communication Standard (29 CFR 1910.1200)

Issuing Date 26-May-2023

Revision Date 26-May-2023

Revision Number 1

1. Identification

Product identifier

Product Name EZ Spray Wall Texture (Aerosol)

Other means of identification

Product Code(s) 858193006183 (Part #13500)
850022163227 (Part #55255)
850022163241 (Part #55260)

UN/ID no UN1950

Synonyms EZ Spray Orange Peel Wall Texture - Product Code: 850022163227 (Part #55255)
EZ Spray Knockdown Wall Texture - Product Code: 850022163241 (Part #55260)

Recommended use of the chemical and restrictions on use

Recommended use Patching orange peel and knock-down texture wall and ceiling patterns

Restrictions on use Use only for intended applications

Details of the supplier of the safety data sheet

Supplier Address

Westpac Materials
341 West Meats Avenue
Orange, CA, USA
92865

E-mail info@westpacmaterials.com

Website www.hamiltonnw.com

Emergency telephone number

Company Phone Number 1-866-974-6837

Emergency telephone Chemtrec 1-800-424-9300

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

| | |
|--|----------------|
| Flammable aerosols | Category 1 |
| Gases under pressure | Compressed gas |
| Carcinogenicity | Category 1A |
| Reproductive toxicity | Category 1B |
| Specific target organ toxicity (repeated exposure) | Category 1 |

Hazards not otherwise classified (HNOC)

Not applicable.

Label elements

Danger



Hazard statements

Extremely flammable aerosol.

Contains gas under pressure; may explode if heated.

May cause cancer.

May damage fertility or the unborn child.

Causes damage to organs through prolonged or repeated exposure.

Precautionary Statements - Prevention

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Wear protective gloves/clothing and eye/face protection.

Do not breathe dust/fume/gas/mist/vapors/spray.

Wash face, hands and any exposed skin thoroughly after handling.

Do not eat, drink or smoke when using this product.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Do not spray on an open flame or other ignition source.

Pressurized container: Do not pierce or burn, even after use.

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention.

Precautionary Statements - Storage

Store locked up.

Protect from sunlight. Store in a well-ventilated place.

Do not expose to temperatures exceeding 50 °C/122 °F.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant.

Other information

No information available.

3. Composition/information on ingredients

Substance

Not applicable.

Mixture

| Chemical name | CAS No | Weight-% | Trade secret |
|-------------------|------------|----------|--------------|
| Calcium carbonate | 1317-65-3 | 43 - 49 | * |
| Dimethyl ether | 115-10-6 | 10 - 13 | * |
| Mica | 14808-60-7 | 2 - 6 | * |
| Kaolin | 1332-58-7 | 0.5 - 4 | * |
| Attapulgate | 12174-11-7 | 0.2 - 1 | * |
| Quartz | 14808-60-7 | 0 - 1 | * |
| Barium metaborate | 13701-59-2 | 0.2 - 1 | * |

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of first aid measures

| | |
|---|---|
| General advice | Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get medical advice/attention. |
| Inhalation | Remove to fresh air. |
| Eye contact | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists. |
| Skin contact | In case of contact with liquefied gas, thaw frosted parts with lukewarm water. |
| Ingestion | Rinse mouth. |
| Self-protection of the first aider | Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Wear personal protective clothing (see section 8). |

Most important symptoms and effects, both acute and delayed

| | |
|----------------------------|--|
| Symptoms | No information available. |
| Effects of Exposure | May cause cancer. May cause adverse reproductive effects - such as birth defect, miscarriages, or infertility. Causes damage to organs through prolonged or repeated exposure. |

Indication of any immediate medical attention and special treatment needed

| | |
|---------------------------|------------------------|
| Note to physicians | Treat symptomatically. |
|---------------------------|------------------------|

5. Fire-fighting measures

| | |
|---------------------------------------|--|
| Suitable Extinguishing Media | Dry chemical. Carbon dioxide (CO ₂). Water spray. |
| Unsuitable extinguishing media | DO NOT EXTINGUISH A LEAKING GAS FIRE UNLESS LEAK CAN BE STOPPED. |

Specific hazards arising from the chemical Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Cylinders may rupture under extreme heat. Damaged cylinders should be handled only by specialists. Containers may explode when heated. Ruptured cylinders may rocket.

Explosion data

Sensitivity to mechanical impact Yes.

Sensitivity to static discharge Yes.

Special protective equipment and precautions for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Deny entry to unauthorized and unprotected personnel. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Take precautionary measures against static discharges. Contents under pressure. Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

Other information Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. A vapor suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Flood with water to complete polymerization and scrape off floor.

Methods for cleaning up Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

7. Handling and storage

Precautions for safe handling

Advice on safe handling Use personal protection equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use spark-proof tools and explosion-proof equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Keep in an area equipped with sprinklers. Do not puncture or incinerate cans. Contents under pressure. In case of rupture. Avoid breathing vapors or mists. Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoes.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from sunlight. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Store locked up.

8. Exposure controls/personal protection**Control parameters****Exposure Limits**

| Chemical name | ACGIH TLV | OSHA PEL | NIOSH |
|---------------------------------|--|---|---|
| Calcium carbonate 1317-65-3 | - | TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 15 mg/m ³ total dust (vacated) TWA: 5 mg/m ³ respirable fraction | TWA: 10 mg/m ³ total dust TWA: 5 mg/m ³ respirable dust |
| Mica 14808-60-7 | TWA: 0.025 mg/m ³ respirable particulate matter | TWA: 50 µg/m ³ respirable dust (vacated) TWA: 0.1 mg/m ³ respirable dust : (250)/(%SiO ₂ + 5) mppcf TWA respirable fraction : (10)/(%SiO ₂ + 2) mg/m ³ TWA respirable fraction | IDLH: 50 mg/m ³ respirable dust TWA: 0.05 mg/m ³ respirable dust |
| Kaolin 1332-58-7 | TWA: 2 mg/m ³ particulate matter containing no asbestos and <1% crystalline silica, respirable particulate matter | TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 10 mg/m ³ total dust (vacated) TWA: 5 mg/m ³ respirable fraction | TWA: 10 mg/m ³ total dust TWA: 5 mg/m ³ respirable dust |
| Attapulgite 12174-11-7 | TWA: 1 mg/m ³ respirable particulate matter | - | - |
| Quartz 14808-60-7 | TWA: 0.025 mg/m ³ respirable particulate matter | TWA: 50 µg/m ³ respirable dust (vacated) TWA: 0.1 mg/m ³ respirable dust : (250)/(%SiO ₂ + 5) mppcf TWA respirable fraction : (10)/(%SiO ₂ + 2) mg/m ³ TWA respirable fraction | IDLH: 50 mg/m ³ respirable dust TWA: 0.05 mg/m ³ respirable dust |
| Barium metaborate 13701-59-2 | STEL: 6 mg/m ³ inhalable particulate matter TWA: 0.5 mg/m ³ Ba TWA: 2 mg/m ³ inhalable particulate matter | TWA: 0.5 mg/m ³ Ba regulated under CAS 7440-39-3 (vacated) TWA: 0.5 mg/m ³ Ba | IDLH: 50 mg/m ³ Ba TWA: 0.5 mg/m ³ except Barium sulfate Ba |

Appropriate engineering controls**Engineering controls**

Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

| | |
|---------------------------------------|---|
| Eye/face protection | Tight sealing safety goggles. |
| Hand protection | Impervious gloves. Wear suitable gloves. |
| Skin and body protection | Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Antistatic boots. |
| Respiratory protection | No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required. |
| General hygiene considerations | Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. |

9. Physical and chemical properties**Information on basic physical and chemical properties****Appearance**

| | |
|-----------------------|-------------------|
| Physical state | Aerosol |
| Color | Off-white |
| Odor | Sweet Ether-like |
| Odor threshold | No data available |

| <u>Property</u> | <u>Values</u> | <u>Remarks • Method</u> |
|--|----------------------|--------------------------------|
| pH | 8 - 10 | |
| pH (as aqueous solution) | | No data available |
| Melting point / freezing point | | No data available |
| Initial boiling point and boiling range | | No data available |
| Flash point | | No data available |
| Evaporation rate | | No data available |
| Flammability | | Extremely flammable aerosol |
| Flammability Limit in Air | | |
| Upper flammability or explosive limits | | No data available |
| Lower flammability or explosive limits | | No data available |
| Vapor pressure | | No data available |
| Relative vapor density | | No data available |
| Relative density | 1.0 - 1.4 | Water = 1 |
| Water solubility | | No data available |
| Solubility(ies) | | No data available |
| Partition coefficient | | No data available |
| Autoignition temperature | | No data available |
| Decomposition temperature | | No data available |
| Kinematic viscosity | | No data available |
| Dynamic viscosity | 700 - 900 cP | |

Other information

| | |
|-----------------------------|--|
| Explosive properties | No information available |
| Oxidizing properties | No information available |
| Softening point | No information available |
| Molecular weight | No information available |
| VOC content | 11.6% with water; 16.6% without water (calculated) |
| VOC | <150 g/L Material VOC <225 g/L VOC without water (calculated) |

Liquid Density MIR <0.2
 Bulk density No information available
 Bulk density No information available

10. Stability and reactivity

Reactivity None under normal use conditions.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions None under normal processing.

Conditions to avoid Keep away from open flames, hot surfaces and sources of ignition. Heat, flames and sparks. Extremes of temperature and direct sunlight. Temperatures above 50 °C / 122 °F.

Incompatible materials Strong oxidizing agents, strong acids, and strong bases.

Hazardous decomposition products None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal.

Eye contact Specific test data for the substance or mixture is not available.

Skin contact Specific test data for the substance or mixture is not available.

Ingestion Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document:

ATEmix (inhalation-gas) 634,816.70 ppm

Component Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|----------------------------|----------------------|-------------------------|--------------------------|
| Dimethyl ether 115-10-6 | - | - | = 164000 ppm (Rat) 4 h |
| Kaolin 1332-58-7 | > 5000 mg/kg (Rat) | > 5000 mg/kg (Rat) | - |
| Barium metaborate | = 530 mg/kg (Rat) | > 2000 mg/kg (Rabbit) | > 3.5 mg/L (Rat) 4 h |

| | | | |
|------------|--|--|--|
| 13701-59-2 | | | |
|------------|--|--|--|

Delayed and immediate effects as well as chronic effects from short and long-term exposure

| | |
|--|---|
| Skin corrosion/irritation | No information available. |
| Serious eye damage/eye irritation | No information available. |
| Respiratory or skin sensitization | No information available. |
| Germ cell mutagenicity | No information available. |
| Carcinogenicity | May cause cancer. Contains a known or suspected carcinogen. Classification based on data available for ingredients. |

The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical name | ACGIH | IARC | NTP | OSHA |
|---------------------------|-------|---------------------|-------|------|
| Mica 14808-60-7 | A2 | Group 1 | Known | X |
| Attapulgite 12174-11-7 | - | Group 2B Group 3 | - | X |
| Quartz 14808-60-7 | A2 | Group 1 | Known | X |

Legend**ACGIH (American Conference of Governmental Industrial Hygienists)**

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

| | |
|---------------------------------|---|
| Reproductive toxicity | May damage fertility or the unborn child. Classification based on data available for ingredients. |
| STOT - single exposure | No information available. |
| STOT - repeated exposure | Causes damage to organs through prolonged or repeated exposure. |
| Target organ effects | Respiratory system. Eyes. Skin. Lungs. Gastrointestinal tract (GI). |
| Aspiration hazard | No information available. |
| Other adverse effects | No information available. |
| Interactive effects | No information available. |

12. Ecological information

Ecotoxicity The environmental impact of this product has not been fully investigated.

| Chemical name | Algae/aquatic plants | Fish | Toxicity to microorganisms | Crustacea |
|---------------|----------------------|------|----------------------------|-----------|
| | | | | |

| | | | | |
|----------------------------|---|---|---|---|
| Dimethyl ether 115-10-6 | - | LC50: >4.1g/L (96h, Poecilia reticulata) | - | - |
|----------------------------|---|---|---|---|

Persistence and degradability No information available.

Bioaccumulation

Component Information

| Chemical name | Partition coefficient |
|---------------------------------|-----------------------|
| Dimethyl ether 115-10-6 | -0.18 |
| Barium metaborate 13701-59-2 | 0.69897 |

Other adverse effects No information available.

13. Disposal considerations

Disposal methods

Waste from residues/unused products Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

California Hazardous Waste Status This product contains one or more substances that are listed with the State of California as a hazardous waste.

14. Transport information

DOT

UN/ID no UN1950
 Proper shipping name AEROSOLS
 Transport hazard class(es) 2.1
 Special Provisions N82
 DOT Marine Pollutant NP
 Description UN1950, AEROSOLS, 2.1
 Emergency Response Guide Number 126

IATA

UN number or ID number UN1950
 UN proper shipping name Aerosols, flammable
 Transport hazard class(es) 2.1
 Description UN1950, Aerosols, flammable, 2.1
 Special Provisions A145, A167, A802
 ERG Code 10L

IMDG

UN number or ID number UN1950
 UN proper shipping name AEROSOLS
 Transport hazard class(es) 2.1
 Marine pollutant NP
 Description UN1950, AEROSOLS, 2.1

Special Provisions 63,190, 277, 327, 344, 381, 959
EmS-No. F-D, S-U

15. Regulatory information

International Inventories

Contact supplier for inventory compliance status

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

| Chemical name | SARA 313 - Threshold Values % |
|--------------------------------|-------------------------------|
| Barium metaborate - 13701-59-2 | 1.0 |

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:

| Chemical name | California Proposition 65 |
|---------------------------------|---------------------------|
| Mica - 14808-60-7 | Carcinogen |
| Attapulgitte - 12174-11-7 | Carcinogen |
| Quartz - 14808-60-7 | Carcinogen |
| crystalline silica - 14808-60-7 | Carcinogen |

U.S. State Right-to-Know Regulations

| Chemical name | New Jersey | Massachusetts | Pennsylvania |
|--------------------------------|------------|---------------|--------------|
| Calcium carbonate 1317-65-3 | X | X | X |
| Dimethyl ether 115-10-6 | X | X | X |
| Mica 14808-60-7 | X | X | X |

| | | | |
|----------------------------------|---|---|---|
| Kaolin 1332-58-7 | X | X | X |
| Quartz 14808-60-7 | X | X | X |
| Barium metaborate 13701-59-2 | X | - | X |
| crystalline silica 14808-60-7 | X | X | X |

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

| | | | | |
|-----------------------------------|----------------------------------|-----------------------|---------------------------|------------------------------|
| NFPA | Health hazards 0 | Flammability 4 | Instability 0 | Special hazards - |
| HMIS | Health hazards 1* | Flammability 4 | Physical hazards 0 | Personal protection X |
| <i>Chronic Hazard Star Legend</i> | <i>* = Chronic Health Hazard</i> | | | |

Key or legend to abbreviations and acronyms used in the safety data sheet**Legend Section 8: Exposure controls/personal protection**

| | | | |
|---------|-----------------------------|------|----------------------------------|
| TWA | TWA (time-weighted average) | STEL | STEL (Short Term Exposure Limit) |
| Ceiling | Maximum limit value | * | Skin designation |

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)
 U.S. Environmental Protection Agency ChemView Database
 European Food Safety Authority (EFSA)
 EPA (Environmental Protection Agency)
 Acute Exposure Guideline Level(s) (AEGL(s))
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
 U.S. Environmental Protection Agency High Production Volume Chemicals
 Food Research Journal
 Hazardous Substance Database
 International Uniform Chemical Information Database (IUCLID)
 Japan GHS Classification
 Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
 NIOSH (National Institute for Occupational Safety and Health)
 National Library of Medicine's ChemID Plus (NLM CIP)
 National Library of Medicine's PubMed database (NLM PUBMED)
 National Toxicology Program (NTP)
 New Zealand's Chemical Classification and Information Database (CCID)
 Organization for Economic Co-operation and Development Environment, Health, and Safety Publications
 Organization for Economic Co-operation and Development High Production Volume Chemicals Program
 Organization for Economic Co-operation and Development Screening Information Data Set
 World Health Organization

Issuing Date 26-May-2023

Revision Date 26-May-2023

Revision Note Initial Release.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information

relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet